

Table 1 ^{a/6}

STATUS OF THE POPULATIONS OF MIGRATORY WATERBIRDS

KEY TO CLASSIFICATION

The following key to Table 1 is a basis for implementation of the Action Plan:

Column A

- Category 1: (a) Species, which are included in Appendix I to the Convention on the Conservation of Migratory species of Wild Animals;
(b) Species, which are listed as threatened on the IUCN Red list of Threatened Species, as reported in the most recent summary by BirdLife International; or
(c) Populations, which number less than around 10,000 individuals.
- Category 2: Populations numbering between around 10,000 and around 25,000 individuals.
- Category 3: Populations numbering between around 25,000 and around 100,000 individuals and considered to be at risk as a result of:
(a) Concentration onto a small number of sites at any stage of their annual cycle;
(b) Dependence on a habitat type, which is under severe threat;
(c) Showing long-term decline;
(d) Showing large fluctuations in population size or trend; or
(e) Showing rapid short-term decline.
- Category 4: Species, which are listed as Near Threatened on the IUCN Red List of Threatened species, as reported in the most recent summary by BirdLife International, but do not fulfil the conditions in respect of Category 1, 2 or 3, as described above, and which are pertinent for international action.

For species listed in Categories 2, 3 and 4 above, see paragraph 2.1.1 of the Action Plan contained in Annex 3 to the Agreement.

Column B

- Category 1: Populations numbering between around 25,000 and around 100,000 individuals and which do not fulfil the conditions in respect of Column A, as described above.
- Category 2: Populations numbering more than around 100,000 individuals, which do not fulfil the conditions in respect of Column A, and considered to be in need of special attention as a result of:
(a) Concentration onto a small number of sites at any stage of their annual cycle;
(b) Dependence on a habitat type, which is under severe threat;
(c) Showing long-term decline;
(d) Showing large fluctuations in population size or trend; or

^{a/}Table 1, “Status of the populations of migratory waterbirds” forms part of the Action Plan contained in Annex 3 to the Agreement.

⁶ As amended by the 7th Session of the Meeting of the Parties to AEWA, 4 - 8 December 2018, Durban, South Africa.

- (e) Showing rapid short-term decline.

Column C

Category 1: Populations numbering more than around 100,000 individuals which could significantly benefit from international cooperation and which do not fulfil the conditions in respect of either Column A or Column B, above.

REVIEW OF TABLE 1

The Table shall be:

- (a) Reviewed regularly by the Technical Committee in accordance with article VII, paragraph 3(b), of the Agreement; and
- (b) Amended as necessary by the Meeting of the Parties, in accordance with article VI, paragraph 9(d) of the Agreement, in light of the conclusions of such reviews.

DEFINITION OF GEOGRAPHICAL TERMS USED IN RANGE DESCRIPTIONS

Note that waterbird ranges respect biological, not political, boundaries and that precise alignment of biological and political entities is extremely unusual. The range descriptions used have no political significance and are for general guidance only, and for concise, mapped summaries of waterbird ranges, practitioners should consult the Critical Site Network Tool internet portal:

<http://wow.wetlands.org/informationflyway/criticalsiteworktool/tabid/1349/language/en-US/Default.aspx>

North Africa	Algeria, Egypt, Libya, Morocco, Tunisia.
West Africa	Benin, Burkina Faso, Cameroon, Cabo Verde, Chad, Côte d'Ivoire, the Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Mauritania, Niger, Nigeria, Senegal, Sierra Leone, Togo.
Eastern Africa	Burundi, Djibouti, Eritrea, Ethiopia, Kenya, Rwanda, Somalia, South Sudan, Sudan, Uganda, the United Republic of Tanzania.
North-west Africa	Morocco, Algeria and Tunisia.
North-east Africa	Djibouti, Egypt, Eritrea, Ethiopia, Somalia, South Sudan, Sudan.
Southern Africa	Angola, Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia, Zimbabwe.
Central Africa	Cameroon, Central African Republic, Congo, Democratic Republic of the Congo, Equatorial Guinea, Gabon, Sao Tome and Principe.
Sub-Saharan Africa	All African states south of the Sahara.
Tropical Africa	Sub-Saharan Africa excluding Eswatini, Lesotho, Namibia and South Africa.
Western Palearctic	As defined in <i>Handbook of the Birds of Europe, the Middle East and North Africa</i> (Cramp & Simmons 1977).
North-west Europe	Belgium, Denmark, Finland, France, Germany, Iceland, Ireland, Luxembourg, the Netherlands, Norway, Sweden, the United Kingdom of Great Britain and Northern Ireland.
Western Europe	North-west Europe with Portugal and Spain.
North-east Europe	The northern part of the Russian Federation west of the Urals.

North Europe	North-west Europe and North-east Europe, as defined above.
Eastern Europe	Belarus, the Russian Federation west of the Urals, Ukraine.
Central Europe	Austria, the Czech Republic, Estonia, Germany, Hungary, Latvia, Liechtenstein, Lithuania, Poland, the Russian Federation around the Gulf of Finland and Kaliningrad, Slovakia, Switzerland.
South-west Europe	Mediterranean France, Italy, Malta, Monaco, Portugal, San Marino, Spain.
South-east Europe	Albania, Armenia, Bosnia & Herzegovina, Bulgaria, Croatia, Cyprus, Georgia, Greece, FYR Macedonia, Republic of Moldova, Montenegro, Romania, Serbia, Slovenia and Turkey.
South Europe	South-west Europe and South-east Europe, as defined above.
North Atlantic	Faroes, Greenland, Iceland, Ireland, Norway, the north-west coast of the Russian Federation, Svalbard, the United Kingdom of Great Britain and Northern Ireland.
East Atlantic	Atlantic seaboard of Europe and North Africa from northern Norway to Morocco.
Western Siberia	The Russian Federation east of the Urals to the Yenisey River and south to the Kazakhstan border.
Central Siberia	The Russian Federation from the Yenisey River to the eastern boundary of the Taimyr Peninsula and south to the Altai Mountains.
West Mediterranean	Algeria, France, Italy, Malta, Monaco, Morocco, Portugal, San Marino, Spain, Tunisia.
East Mediterranean	Albania, Bosnia and Herzegovina, Croatia, Cyprus, Egypt, Greece, Israel, Lebanon, Libya, Montenegro, Serbia, Slovenia, the Syrian Arab Republic, The Former Yugoslav Republic of Macedonia, Turkey.
Black Sea	Armenia, Bulgaria, Georgia, Republic of Moldova, Romania, the Russian Federation, Turkey, Ukraine.
Caspian	Azerbaijan, Islamic Republic of Iran, Kazakhstan, South-west Russia, Turkmenistan, Uzbekistan.
South-west Asia	Bahrain, Iraq, Islamic Republic of Iran, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Oman, Qatar, Saudi Arabia, the Syrian Arab Republic, eastern Turkey, Turkmenistan, the United Arab Emirates, Uzbekistan, Yemen.
Gulf	The Persian Gulf, Gulf of Oman and Arabian Sea west to the Gulf of Aden.
Western Asia	Western parts of the Russian Federation east of the Urals and the Caspian countries.
Central Asia	Afghanistan, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan, Uzbekistan.
Southern Asia	Bangladesh, Bhutan, India, Maldives, Nepal, Pakistan, Sri Lanka.
Indian Ocean	Comoros, Madagascar, Mauritius, Seychelles.

KEY TO ABBREVIATIONS AND SYMBOLS

bre:	breeding	win:	wintering
N:	Northern	E:	Eastern
S:	Southern	W:	Western
NE:	North-eastern	NW:	North-western
SE:	South-eastern	SW:	South-western

(): Population status unknown. Conservation status estimated.

*: By way of exception for those populations listed in Categories 2 and 3 in Column A and which are marked by an asterisk, hunting may continue on a sustainable use basis. This sustainable use shall be conducted within the framework of special provisions of an international species action plan, which shall seek to implement the principles of adaptive harvest management (see paragraph 2.1.1 of Annex 3 to the Agreement).

NOTES

1. The population data used to compile Table 1 as far as possible correspond to the number of individuals in the potential breeding stock in the Agreement area. The status is based on the best available published population estimates.
2. Suffixes (bre) or (win) in population listings are solely aids to population identification. They do not indicate seasonal restrictions to actions in respect of these populations under the Agreement and Action Plan.
3. The brief descriptions used to identify the populations are based on the descriptions used in the most recently published edition of *Waterbird Population Estimates*.
4. Slash signs (/) are used to separate breeding areas from wintering areas.
5. Where a species' population is listed in Table 1 with multiple categorisations, the obligations of the Action Plan relate to the strictest category listed.

Populations	A	B	C
Family ANATIDAE (ducks, geese, swans)			
<i>Dendrocygna viduata</i> (White-faced Whistling-duck)			
- West Africa (Senegal to Chad)			1
- Eastern & Southern Africa			1
<i>Dendrocygna bicolor</i> (Fulvous Whistling-duck)			
- West Africa (Senegal to Chad)		1	
- Eastern & Southern Africa		2c	
<i>Thalassornis leuconotus leuconotus</i> (White-backed Duck)			
- West Africa	1c		
- Eastern & Southern Africa	2*		
<i>Oxyura maccoa</i> (Maccoa Duck)			
- Eastern Africa	1b 1c		
- Southern Africa	1b 1c		
<i>Oxyura leucocephala</i> (White-headed Duck)			
- West Mediterranean (Spain & Morocco)	1a 1b 1c		
- Algeria & Tunisia	1a 1b 1c		
- East Mediterranean, Turkey & South-west Asia	1a 1b 1c		
<i>Cygnus olor</i> (Mute Swan)			
- North-west Mainland & Central Europe			1
- Black Sea		1	
- West & Central Asia/Caspian			1
<i>Cygnus cygnus</i> (Whooper Swan)			
- Iceland/UK & Ireland		1	
- North-west Mainland Europe			1
- N Europe & W Siberia/Black Sea & E Mediterranean	2		
- West & Central Siberia/Caspian	2		
<i>Cygnus columbianus bewickii</i> (Tundra Swan, Bewick's Swan)			
- Western Siberia & NE Europe/North-west Europe	2		
- Northern Siberia/Caspian	1c		
<i>Branta bernicla bernicla</i> (Brent Goose, Dark-bellied Brent Goose)			
- Western Siberia/Western Europe		2b	
<i>Branta bernicla hrota</i> (Brent Goose, Pale-bellied Brent Goose)			
- Svalbard/Denmark & UK	2		
- Canada & Greenland/Ireland	3a		
<i>Branta leucopsis</i> (Barnacle Goose)			
- East Greenland/Scotland & Ireland		1	
- Svalbard/South-west Scotland	3a		
- Russia/Germany & Netherlands			1
<i>Branta ruficollis</i> (Red-breasted Goose)			
- Northern Siberia/Black Sea & Caspian	1a 1b 3a		
<i>Anser anser anser</i> (Greylag Goose, Western Greylag Goose)			
- Iceland/UK & Ireland		1	
- NW Europe/South-west Europe			1

Populations	A	B	C
- Central Europe/North Africa		1	
<i>Anser anser rubrirostris</i> (Greylag Goose, Eastern Greylag Goose)			
- Black Sea & Turkey		1	
- Western Siberia/Caspian & Iraq			1
<i>Anser fabalis fabalis</i> (Bean Goose, Taiga Bean Goose)			
- North-east Europe/North-west Europe	3c*		
<i>Anser fabalis johanseni</i> (Bean Goose)			
- West & Central Siberia/Turkmenistan to W China	1c		
<i>Anser fabalis rossicus</i> (Bean Goose, Tundra Bean Goose)			
- West & Central Siberia/NE & SW Europe			(1)
<i>Anser brachyrhynchus</i> (Pink-footed Goose)			
- East Greenland & Iceland/UK			1
- Svalbard/North-west Europe		1	
<i>Anser albifrons albifrons</i> (Greater White-fronted Goose, European White-fronted Goose)			
- NW Siberia & NE Europe/North-west Europe			1
- Western Siberia/Central Europe			1
- Western Siberia/Black Sea & Turkey			1
- Northern Siberia/Caspian & Iraq		1	
<i>Anser albifrons flavirostris</i> (Greater White-fronted Goose, Greenland White-fronted Goose)			
- Greenland/Ireland & UK	2*		
<i>Anser erythropus</i> (Lesser White-fronted Goose)			
- NE Europe & W Siberia/Black Sea & Caspian	1a 1b 2		
- Fennoscandia	1a 1b 1c		
<i>Clangula hyemalis</i> (Long-tailed Duck)			
- Iceland & Greenland (bre)	1b		
- Western Siberia/North Europe (bre)	1b		
<i>Somateria spectabilis</i> (King Eider)			
- East Greenland, NE Europe & Western Siberia			1
<i>Somateria mollissima mollissima</i> (Common Eider)			
- Baltic, Denmark & Netherlands	4		
- Norway & Russia	4		
<i>Somateria mollissima borealis</i> (Common Eider)			
- Svalbard & Franz Joseph (bre)	4		
<i>Polysticta stelleri</i> (Steller's Eider)			
- Western Siberia/North-east Europe	1a 1b		
<i>Melanitta fusca</i> (Velvet Scoter)			
- Western Siberia & Northern Europe/NW Europe	1b		
- Black Sea & Caspian	1b 1c		
<i>Melanitta nigra</i> (Common Scoter)			
- W Siberia & N Europe/W Europe & NW Africa		2a	
<i>Bucephala clangula clangula</i> (Common Goldeneye)			
- North-west & Central Europe (win)			1
- North-east Europe/Adriatic			1

Populations	A	B	C
- Western Siberia & North-east Europe/Black Sea		1	
- Western Siberia/Caspian		1	
<i>Mergellus albellus</i> (Smew)			
- North-west & Central Europe (win)		1	
- North-east Europe/Black Sea & East Mediterranean	2		
- Western Siberia/South-west Asia		1	
<i>Mergus merganser merganser</i> (Goosander)			
- North-west & Central Europe (win)			1
- North-east Europe/Black Sea	2		
- Western Siberia/Caspian	2		
<i>Mergus serrator</i> (Red-breasted Merganser)			
- North-west & Central Europe (win)	3c		
- North-east Europe/Black Sea & Mediterranean	3c		
- Western Siberia/South-west & Central Asia	1c		
<i>Alopochen aegyptiaca</i> (Egyptian Goose)			
- West Africa	1c		
- Eastern & Southern Africa			1
<i>Tadorna tadorna</i> (Common Shelduck)			
- North-west Europe		2a	
- Black Sea & Mediterranean			1
- Western Asia/Caspian & Middle East	3c		
<i>Tadorna ferruginea</i> (Ruddy Shelduck)			
- North-west Africa	1c		
- East Mediterranean & Black Sea/North-east Africa		1	
- Western Asia & Caspian/Iran & Iraq	3c		
<i>Tadorna cana</i> (South African Shelduck)			
- Southern Africa		1	
<i>Plectropterus gambensis gambensis</i> (Spur-winged Goose)			
- West Africa		1	
- Eastern Africa (Sudan to Zambia)			1
<i>Plectropterus gambensis niger</i> (Spur-winged Goose)			
- Southern Africa		(1)	
<i>Sarkidiornis melanotos</i> (African Comb Duck)			
- West Africa	3c		
- Southern & Eastern Africa		(2c)	
<i>Nettapus auritus</i> (African Pygmy-goose)			
- West Africa	1c		
- Southern & Eastern Africa			(1)
<i>Marmaronetta angustirostris</i> (Marbled Teal)			
- West Mediterranean/West Medit. & West Africa	1a 1b 1c		
- East Mediterranean	1a 1b 1c		
- South-west Asia	1a 1b 3c		
<i>Netta rufina</i> (Red-crested Pochard)			
- South-west & Central Europe/West Mediterranean		1	
- Black Sea & East Mediterranean		1	

Populations	A	B	C
- Western & Central Asia/South-west Asia		2c	
<i>Netta erythrophthalma brunnea</i> (Southern Pochard)			
- Southern & Eastern Africa	3c		
<i>Aythya ferina</i> (Common Pochard)			
- North-east Europe/North-west Europe	1b		
- Central & NE Europe/Black Sea & Mediterranean	1b		
- Western Siberia/South-west Asia	1b		
<i>Aythya nyroca</i> (Ferruginous Duck)			
- West Mediterranean/North & West Africa	1a 1c		
- Eastern Europe/E Mediterranean & Sahelian Africa	1a		
- Western Asia/SW Asia & NE Africa	1a		
<i>Aythya fuligula</i> (Tufted Duck)			
- North-west Europe (win)			1
- Central Europe, Black Sea & Mediterranean (win)			1
- Western Siberia/SW Asia & NE Africa		2c	
<i>Aythya marila marila</i> (Greater Scaup)			
- Northern Europe/Western Europe		2c	
- Western Siberia/Black Sea & Caspian		(2c)	
<i>Spatula querquedula</i> (Garganey)			
- Western Siberia & Europe/West Africa			1
- Western Siberia/SW Asia, NE & Eastern Africa			(1)
<i>Spatula hottentota</i> (Hottentot Teal)			
- Lake Chad Basin	1c		
- Eastern Africa (south to N Zambia)		1	
- Southern Africa (north to S Zambia)		1	
<i>Spatula clypeata</i> (Northern Shoveler)			
- North-west & Central Europe (win)		1	
- W Siberia, NE & E Europe/S Europe & West Africa			1
- W Siberia/SW Asia, NE & Eastern Africa			1
<i>Mareca strepera strepera</i> (Gadwall)			
- North-west Europe			1
- North-east Europe/Black Sea & Mediterranean			1
- Western Siberia/SW Asia & NE Africa		(2c)	
<i>Mareca penelope</i> (Eurasian Wigeon)			
- Western Siberia & NE Europe/NW Europe		2c	
- W Siberia & NE Europe/Black Sea & Mediterranean		2c	
- Western Siberia/SW Asia & NE Africa		2c	
<i>Anas undulata undulata</i> (Yellow-billed Duck)			
- Southern Africa			1
<i>Anas platyrhynchos platyrhynchos</i> (Mallard)			
- North-west Europe			1
- Northern Europe/West Mediterranean			1
- Eastern Europe/Black Sea & East Mediterranean			1
- Western Siberia/South-west Asia			1
<i>Anas capensis</i> (Cape Teal)			

Populations	A	B	C
- Eastern Africa (Rift Valley)	1c		
- Lake Chad basin ²	1c		
- Southern Africa (N to Angola & Zambia)		1	
<i>Anas erythrorhyncha</i> (Red-billed Teal)			
- Southern Africa			1
- Eastern Africa			1
- Madagascar	2		
<i>Anas acuta</i> (Northern Pintail)			
- North-west Europe		1	
- W Siberia, NE & E Europe/S Europe & West Africa			1
- Western Siberia/SW Asia & Eastern Africa		2c	
<i>Anas crecca crecca</i> (Common Teal)			
- North-west Europe			1
- W Siberia & NE Europe/Black Sea & Mediterranean			1
- Western Siberia/SW Asia & NE Africa		2c	
Family PODICIPEDIDAE (grebes)			
<i>Tachybaptus ruficollis ruficollis</i> (Little Grebe)			
- Europe & North-west Africa			1
<i>Podiceps grisegena grisegena</i> (Red-necked Grebe)			
- North-west Europe (win)		1	
- Black Sea & Mediterranean (win)		1	
- Caspian (win)	2		
<i>Podiceps cristatus cristatus</i> (Great Crested Grebe, Eurasian Crested Grebe)			
- North-west & Western Europe			1
- Black Sea & Mediterranean (win)			1
- Caspian & South-west Asia (win)	3c		
<i>Podiceps cristatus infuscatus</i> (Great Crested Grebe, African Crested Grebe)			
- Eastern Africa (Ethiopia to N Zambia)	1c		
- Southern Africa	1c		
<i>Podiceps auritus auritus</i> (Horned Grebe)			
- North-west Europe (large-billed)	1b 1c		
- North-east Europe (small-billed)	1b 2		
- Caspian & South Asia (win)	1b 1c		
<i>Podiceps nigricollis nigricollis</i> (Black-necked Grebe)			
- Europe/South & West Europe & North Africa			1
- Western Asia/South-west & South Asia	3c		
<i>Podiceps nigricollis gurneyi</i> (Black-necked Grebe)			
- Southern Africa	2		
Family PHOENICOPTERIDAE (flamingos)			
<i>Phoenicopterus roseus</i> (Greater Flamingo)			
- West Africa	3a		
- Eastern Africa	3a 3c		

Populations	A	B	C
- Southern Africa (to Madagascar)		2a	
- West Mediterranean		2a	
- East Mediterranean		2a	
- South-west & South Asia		2a	
<i>Phoeniconaias minor</i> (Lesser Flamingo)			
- West Africa	3a		
- Eastern Africa	(3c)		
- Southern Africa (to Madagascar)	4		
Family PHAETHONTIDAE (tropicbirds)			
<i>Phaethon aethereus aethereus</i> (Red-billed Tropicbird)			
- South Atlantic	1c		
<i>Phaethon aethereus indicus</i> (Red-billed Tropicbird)			
- Persian Gulf, Gulf of Aden, Red Sea	1c		
<i>Phaethon rubricauda rubricauda</i> (Red-tailed Tropicbird)			
- Indian Ocean		1	
<i>Phaethon lepturus lepturus</i> (White-tailed Tropicbird)			
- W Indian Ocean		1	
Family RALLIDAE (rails, gallinules, coots)			
<i>Sarothrura elegans reichenovi</i> (Buff-spotted Flufftail)			
- S West Africa to Central Africa			(1)
<i>Sarothrura elegans elegans</i> (Buff-spotted Flufftail)			
- NE, Eastern & Southern Africa			(1)
<i>Sarothrura boehmi</i> (Streaky-breasted Flufftail)			
- Central Africa	1c		
<i>Sarothrura ayresi</i> (White-winged Flufftail)			
- Ethiopia	1a 1b 1c		
- Southern Africa	1a 1b 1c		
<i>Rallus aquaticus aquaticus</i> (Western Water Rail)			
- Europe & North Africa			(1)
<i>Rallus aquaticus korejewi</i> (Western Water Rail)			
- Western Siberia/South-west Asia			(1)
<i>Rallus caerulescens</i> (African Rail)			
- Southern & Eastern Africa			(1)
<i>Crex egregia</i> (African Crake)			
- Sub-Saharan Africa			(1)
<i>Crex crex</i> (Corncrake)			
- Europe & Western Asia/Sub-Saharan Africa			1
<i>Porzana porzana</i> (Spotted Crake)			
- Europe/Africa			1
<i>Zapornia flavirostra</i> (Black Crake)			
- Sub-Saharan Africa			1
<i>Zapornia parva</i> (Little Crake)			
- Western Eurasia/Africa		2c	

Populations	A	B	C
<i>Zapornia pusilla intermedia</i> (Baillon's Crake)			
- Europe (bre)	1c		
<i>Amaurornis marginalis</i> (Striped Crake)			
- Sub-Saharan Africa	(2)		
<i>Porphyrio alleni</i> (Allen's Gallinule)			
- Sub-Saharan Africa		(2c)	
<i>Gallinula chloropus chloropus</i> (Common Moorhen)			
- Europe & North Africa			1
- West & South-west Asia			(1)
<i>Gallinula angulata</i> (Lesser Moorhen)			
- Sub-Saharan Africa			(1)
<i>Fulica cristata</i> (Red-knobbed Coot)			
- Sub-Saharan Africa			1
- Spain & Morocco	1c		
<i>Fulica atra atra</i> (Common Coot)			
- North-west Europe (win)		2c	
- Black Sea & Mediterranean (win)			1
- South-west Asia (win)			(1)
Family GRUIDAE (cranes)			
<i>Balearica regulorum regulorum</i> (Grey Crowned-crane, South African Crowned-crane)			
- Southern Africa (N to Angola & S Zimbabwe)	1b 1c		
<i>Balearica regulorum gibbericeps</i> (Grey Crowned-crane, East African Crowned-crane)			
- Eastern Africa (Kenya to Mozambique)	1b 2		
<i>Balearica pavonina pavonina</i> (Black Crowned-crane, West African Crowned-crane)			
- West Africa (Senegal to Chad)	1b 1c		
<i>Balearica pavonina ceciliae</i> (Black Crowned-crane, Sudan Crowned-crane)			
- Eastern Africa (Sudan to Uganda)	1b 3c		
<i>Leucogeranus leucogeranus</i> (Siberian Crane)			
- Iran (win)	1a 1b 1c		
<i>Buggeranus carunculatus</i> (Wattled Crane)			
- Central & Southern Africa	1b 1c		
<i>Anthropoides paradiseus</i> (Blue Crane)			
- Extreme Southern Africa	1b		
<i>Anthropoides virgo</i> (Demoiselle Crane)			
- Black Sea (Ukraine)/North-east Africa	1c		
- Kalmykia/North-east Africa		1	
<i>Grus grus grus</i> (Common Crane)			
- North-west Europe/Iberia & Morocco			1
- North-east & Central Europe/North Africa			1
- Eastern Europe/Turkey, Middle East & NE Africa			1
- Western Siberia/South Asia		(1)	

Populations	A	B	C
<i>Grus grus archibaldi</i> (Common Crane)			
- Turkey & Georgia (bre)	1c		
Family GAVIIDAE (loons / divers)			
<i>Gavia stellata</i> (Red-throated Loon)			
- North-west Europe (win)			(1)
- Caspian, Black Sea & East Mediterranean (win)	1c		
<i>Gavia arctica arctica</i> (Arctic Loon)			
- Northern Europe & Western Siberia/Europe		2c	
- Central Siberia/Caspian	1c		
<i>Gavia immer</i> (Common Loon)			
- Europe (win)	1c		
<i>Gavia adamsii</i> (Yellow-billed Loon)			
- Northern Europe (win)	1c		
Family SPHENISCIDAE (penguins)			
<i>Spheniscus demersus</i> (African Penguin)			
- Southern Africa	1b 3c		
Family CICONIIDAE (storks)			
<i>Leptoptilos crumenifer</i> (Marabou)			
- Sub-Saharan Africa			1
<i>Mycteria ibis</i> (Yellow-billed Stork)			
- Sub-Saharan Africa (excluding Madagascar)			1
<i>Anastomus lamelligerus lamelligerus</i> (African Openbill)			
- Sub-Saharan Africa			1
<i>Ciconia nigra</i> (Black Stork)			
- Southern Africa	1c		
- South-west Europe/West Africa	1c		
- Central & Eastern Europe/Sub-Saharan Africa		1	
<i>Ciconia abdimii</i> (Abdim's Stork)			
- Sub-Saharan Africa & SW Arabia		(2c)	
<i>Ciconia microscelis</i> (African Woollyneck)			
- Sub-Saharan Africa		(1)	
<i>Ciconia ciconia ciconia</i> (White Stork)			
- Southern Africa	1c		
- W Europe & North-west Africa/Sub-Saharan Africa		2b	
- Central & Eastern Europe/Sub-Saharan Africa			1
- Western Asia/South-west Asia	3c		
Family THRESKIORNITHIDAE (ibises, spoonbills)			
<i>Platalea alba</i> (African Spoonbill)			
- Sub-Saharan Africa		1	
<i>Platalea leucorodia leucorodia</i> (Eurasian Spoonbill)			
- West Europe/West Mediterranean & West Africa	2		

Populations	A	B	C
- C & SE Europe/Mediterranean & Tropical Africa	2		
- Western Asia/South-west & South Asia	2		
<i>Platalea leucorodia balsaci</i> (Eurasian Spoonbill)			
- Coastal West Africa (Mauritania)	1c		
<i>Platalea leucorodia archeri</i> (Eurasian Spoonbill)			
- Red Sea & Somalia	1c		
<i>Threskiornis aethiopicus</i> (African Sacred Ibis)			
- Sub-Saharan Africa			1
- Iraq & Iran	1c		
<i>Geronticus eremita</i> (Northern Bald Ibis)			
- Morocco	1a 1b 1c		
- South-west Asia	1a 1b 1c		
<i>Plegadis falcinellus</i> (Glossy Ibis)			
- Sub-Saharan Africa (bre)		1	
- Black Sea & Mediterranean/West Africa		1	
- South-west Asia/Eastern Africa		(1)	
Family ARDEIDAE (herons)			
<i>Botaurus stellaris stellaris</i> (Eurasian Bittern)			
- W Europe, NW Africa (bre)	1c		
- Central & E Europe, Black Sea & E Mediterranean (bre)			1
- South-west Asia (win)		1	
<i>Botaurus stellaris capensis</i> (Eurasian Bittern)			
- Southern Africa	1c		
<i>Ixobrychus minutus minutus</i> (Common Little Bittern)			
- W Europe, NW Africa/Subsaharan Africa	2		
- Central & E Europe, Black Sea & E Mediterranean/Sub-saharan Africa			1
- West & South-west Asia/Sub-Saharan Africa		(1)	
<i>Ixobrychus minutus payesii</i> (Common Little Bittern)			
- Sub-Saharan Africa		(1)	
<i>Ixobrychus sturmii</i> (Dwarf Bittern)			
- Sub-Saharan Africa		(1)	
<i>Nycticorax nycticorax nycticorax</i> (Black-crowned Night-heron)			
- Sub-Saharan Africa & Madagascar			1
- W Europe, NW Africa (bre)	3c		
- Central & E Europe/Black Sea & E Mediterranean (bre)			1
- Western Asia/SW Asia & NE Africa		(1)	
<i>Ardeola ralloides ralloides</i> (Squacco Heron)			
- SW Europe, NW Africa (bre)	1c		
- Central & E Europe, Black Sea & E Mediterranean (bre)	3c		
- West & South-west Asia/Sub-Saharan Africa		(1)	
<i>Ardeola ralloides paludivaga</i> (Squacco Heron)			
- Sub-Saharan Africa & Madagascar			(1)
<i>Ardeola idae</i> (Madagascar Pond-heron)			

Populations	A	B	C
- Madagascar & Aldabra/Central & Eastern Africa	1a 1b 1c		
<i>Ardeola rufiventris</i> (Rufous-bellied Heron)			
- Central, Eastern & Southern Africa		(1)	
<i>Bubulcus ibis ibis</i> (Cattle Egret)			
- Southern Africa		2c	
- Tropical Africa			(1)
- South-west Europe			1
- North-west Africa			1
- East Mediterranean & South-west Asia		1	
<i>Ardea cinerea cinerea</i> (Grey Heron)			
- Sub-Saharan Africa			1
- Northern & Western Europe			1
- Central & Eastern Europe			1
- West & South-west Asia (bre)		(1)	
<i>Ardea melanocephala</i> (Black-headed Heron)			
- Sub-Saharan Africa			(1)
<i>Ardea purpurea purpurea</i> (Purple Heron)			
- Tropical Africa	(3c)		
- West Europe & West Mediterranean/West Africa		1	
- East Europe, Black Sea & Mediterranean/Sub-Saharan Africa		2c	
- SW Asia	(2)		
<i>Ardea alba alba</i> (Great White Egret, Western Great Egret)			
- W, Central & SE Europe/Black Sea & Mediterranean		1	
- Western Asia/South-west Asia		1	
<i>Ardea alba melanorhynchos</i> (Great White Egret, African Great Egret)			
- Sub-Saharan Africa & Madagascar			(1)
<i>Ardea brachyrhyncha</i> (Yellow-billed Egret)			
- Sub-Saharan Africa		1	
<i>Egretta ardesiaca</i> (Black Heron)			
- Sub-Saharan Africa		1	
<i>Egretta vinaceigula</i> (Slaty Egret)			
- Central Southern Africa	1b 1c		
<i>Egretta garzetta garzetta</i> (Little Egret)			
- Sub-Saharan Africa			(1)
- Western Europe, NW Africa			1
- Central & E Europe, Black Sea, E Mediterranean		1	
- Western Asia/SW Asia, NE & Eastern Africa		(1)	
<i>Egretta gularis gularis</i> (Western Reef-egret)			
- West Africa	2		
<i>Egretta gularis schistacea</i> (Western Reef-egret)			
- North-east Africa & Red Sea	2		
- South-west Asia & South Asia	2		
<i>Egretta gularis dimorpha</i> (Western Reef-egret)			
- Coastal Eastern Africa	2		

Populations	A	B	C
Family BALAENICIPITIDAE (shoebill)			
<i>Balaeniceps rex</i> (Shoebill)			
- Central Tropical Africa	1b 1c		
Family PELECANIDAE (pelicans)			
<i>Pelecanus crispus</i> (Dalmatian Pelican)			
- Black Sea & Mediterranean (win)	1a 1c		
- South-west Asia & South Asia (win)	1a 2		
<i>Pelecanus rufescens</i> (Pink-backed Pelican)			
- Tropical Africa & SW Arabia		1	
<i>Pelecanus onocrotalus</i> (Great White Pelican)			
- Southern Africa		1	
- West Africa		1	
- Eastern Africa		2c	
- Europe & Western Asia (bre)	1a	1	
Family FREGATIDAE (frigatebirds)			
<i>Fregata ariel iredalei</i> (Lesser Frigatebird)			
- W Indian Ocean	2		
<i>Fregata minor aldabrensis</i> (Great Frigatebird)			
- W Indian Ocean	2		
Family SULIDAE (gannets, boobies)			
<i>Morus bassanus</i> (Northern Gannet)			
- North Atlantic			1
<i>Morus capensis</i> (Cape Gannet)			
- Southern Africa	1b		
<i>Sula dactylatra melanops</i> (Masked Booby)			
- W Indian Ocean	3c		
Family PHALACROCORACIDAE (cormorants)			
<i>Microcarbo coronatus</i> (Crowned Cormorant)			
- Coastal South-west Africa	1c		
<i>Microcarbo pygmaeus</i> (Pygmy Cormorant)			
- Black Sea & Mediterranean		1	
- South-west Asia		1	
<i>Phalacrocorax aristotelis desmarestii</i> (European Shag)			
- East Mediterranean (Croatia, Adriatic Sea) (bre)	1c		
<i>Phalacrocorax carbo carbo</i> (Great Cormorant, Common Great Cormorant)			
- North-west Europe			1
<i>Phalacrocorax carbo sinensis</i> (Great Cormorant)			
- Northern & Central Europe			1
- Black Sea & Mediterranean			1

Populations	A	B	C
- West & South-west Asia			(1)
<i>Phalacrocorax carbo lucidus</i> (Great Cormorant, White-breasted Cormorant)			
- Coastal West Africa		1	
- Central & Eastern Africa			1
- Coastal Southern Africa	2		
<i>Phalacrocorax capensis</i> (Cape Cormorant)			
- Coastal Southern Africa	1b		
<i>Phalacrocorax nigrogularis</i> (Socotra Cormorant)			
- Arabian Coast	1b		
- Gulf of Aden, Socotra, Arabian Sea	1b		
<i>Phalacrocorax neglectus</i> (Bank Cormorant)			
- Coastal South-west Africa	1b 2		
Family BURHINIDAE (thick-knees)			
<i>Burhinus senegalensis</i> (Senegal Thick-knee)			
- West Africa		1	
- North-east & Eastern Africa	(3c)		
Family PLUVIANIDAE (Egyptian plover)			
<i>Pluvianus aegyptius</i> (Egyptian Plover)			
- West Africa		(1)	
- Eastern Africa	1c		
- Lower Congo Basin	1c		
Family HAEMATOPODIDAE (oystercatchers)			
<i>Haematopus moquini</i> (African Oystercatcher)			
- Coastal Southern Africa	1c		
<i>Haematopus ostralegus ostralegus</i> (Eurasian Oystercatcher)			
- Europe/South & West Europe & NW Africa	4		
<i>Haematopus ostralegus longipes</i> (Eurasian Oystercatcher)			
- SE Eur & W Asia/SW Asia & NE Africa	4		
Family RECURVIROSTRIDAE (avocets, stilts)			
<i>Recurvirostra avosetta</i> (Pied Avocet)			
- Southern Africa	2		
- Eastern Africa		(1)	
- Western Europe & North-west Africa (bre)		1	
- South-east Europe, Black Sea & Turkey (bre)		1	
- West & South-west Asia/Eastern Africa	2		
<i>Himantopus himantopus himantopus</i> (Black-winged Stilt)			
- Sub-Saharan Africa (excluding south)			(1)
- Southern Africa	2		
- SW Europe & North-west Africa/West Africa			1
- Central Europe & E Mediterranean/N-Central Africa		1	

Populations	A	B	C
- W, Central & SW Asia/SW Asia & NE Africa		(1)	
Family CHARADRIIDAE (plovers)			
<i>Pluvialis squatarola squatarola</i> (Grey Plover)			
- W Siberia/W Europe & W Africa			1
- Central & E Siberia/SW Asia, Eastern & Southern Africa		1	
<i>Pluvialis apricaria apricaria</i> (Eurasian Golden Plover)			
- Britain, Ireland, Denmark, Germany & Baltic (bre)		2c	
<i>Pluvialis apricaria altifrons</i> (Eurasian Golden Plover)			
- Iceland & Faroes/East Atlantic coast			1
- Northern Europe/Western Europe & NW Africa			1
- Northern Siberia/Caspian & Asia Minor		(1)	
<i>Pluvialis fulva</i> (Pacific Golden Plover)			
- North-central Siberia/South & SW Asia, NE Africa		(1)	
<i>Eudromias morinellus</i> (Eurasian Dotterel)			
- Europe/North-west Africa	3c		
- Asia/Middle East		(1)	
<i>Charadrius hiaticula hiaticula</i> (Common Ringed Plover)			
- Northern Europe/Europe & North Africa		1	
<i>Charadrius hiaticula psammmodromus</i> (Common Ringed Plover)			
- Canada, Greenland & Iceland/W & S Africa			(1)
<i>Charadrius hiaticula tundrae</i> (Common Ringed Plover)			
- NE Europe & Siberia/SW Asia, E & S Africa			(1)
<i>Charadrius dubius curonicus</i> (Little Ringed Plover)			
- Europe & North-west Africa/West Africa			1
- West & South-west Asia/Eastern Africa			(1)
<i>Charadrius pecuarius</i> (Kittlitz's Plover)			
- Southern & Eastern Africa			(1)
- West Africa		(1)	
<i>Charadrius tricollaris</i> (African Three-banded Plover)			
- Southern & Eastern Africa		1	
<i>Charadrius forbesi</i> (Forbes's Plover)			
- Western & Central Africa	2		
<i>Charadrius marginatus hesperius</i> (White-fronted Plover)			
- West Africa	2		
<i>Charadrius marginatus mechowii</i> (White-fronted Plover)			
- Inland East & Central Africa	2		
<i>Charadrius alexandrinus alexandrinus</i> (Kentish Plover)			
- West Europe & West Mediterranean/West Africa		1	
- Black Sea & East Mediterranean/Eastern Sahel	3c		
- SW & Central Asia/SW Asia & NE Africa		(1)	
<i>Charadrius pallidus pallidus</i> (Chestnut-banded Plover)			
- Southern Africa	2		
<i>Charadrius pallidus venustus</i> (Chestnut-banded Plover)			

Populations	A	B	C
- Eastern Africa	1c		
<i>Charadrius mongolus pamirensis</i> (Lesser Sandplover)			
- West-central Asia/SW Asia & Eastern Africa			1
<i>Charadrius leschenaultii leschenaultii</i> (Greater Sandplover)			
- Central Asia/Eastern & Southern Africa		(1)	
<i>Charadrius leschenaultii columbinus</i> (Greater Sandplover)			
- Turkey & SW Asia/E. Mediterranean & Red Sea	1c		
<i>Charadrius leschenaultii scythicus</i> (Greater Sandplover)			
- Caspian & SW Asia/Arabia & NE Africa		(1)	
<i>Charadrius asiaticus</i> (Caspian Plover)			
- SE Europe & West Asia/E & Central Southern Africa	3c		
<i>Vanellus vanellus</i> (Northern Lapwing)			
- Europe, W Asia/Europe, N Africa & SW Asia	4		
<i>Vanellus spinosus</i> (Spur-winged Lapwing)			
- Black Sea & Mediterranean (bre)		1	
<i>Vanellus albiceps</i> (White-headed Lapwing)			
- West & Central Africa		(1)	
<i>Vanellus lugubris</i> (Senegal Lapwing)			
- Southern West Africa	2		
- Central & Eastern Africa		1	
<i>Vanellus melanopterus minor</i> (Black-winged Lapwing)			
- Southern Africa	1c		
<i>Vanellus coronatus coronatus</i> (Crowned Lapwing)			
- Eastern & Southern Africa		(2c)	
- Central Africa	(1c)		
- South-west Africa		(1)	
<i>Vanellus senegallus senegallus</i> (Wattled Lapwing)			
- West Africa		(1)	
<i>Vanellus senegallus lateralis</i> (Wattled Lapwing)			
- Eastern & South-east Africa	(3c)		
<i>Vanellus superciliosus</i> (Brown-chested Lapwing)			
- West & Central Africa	(1c)		
<i>Vanellus gregarius</i> (Sociable Lapwing)			
- Central Asia/S, SW Asia, NE Africa	1a 1b 2		
<i>Vanellus leucurus</i> (White-tailed Lapwing)			
- Central & SW Asia/NE Africa, SW & S Asia		1	
Family SCOLOPACIDAE (sandpipers, snipes, phalaropes)			
<i>Numenius phaeopus phaeopus</i> (Whimbrel)			
- Northern Europe/West Africa			(1)
- West Siberia/Southern & Eastern Africa			(1)
<i>Numenius phaeopus islandicus</i> (Whimbrel)			
- Iceland, Faroes & Scotland/West Africa			1
<i>Numenius phaeopus alboaxillaris</i> (Whimbrel)			

Populations	A	B	C
- N of Caspian/Eastern Africa	1c		
<i>Numenius phaeopus rogachevae</i> (Whimbrel)			
- Central Siberia (bre)			(1)
<i>Numenius tenuirostris</i> (Slender-billed Curlew)			
- Central Siberia/Mediterranean & SW Asia	1a 1b 1c		
<i>Numenius arquata arquata</i> (Eurasian Curlew)			
- Europe/Europe, North & West Africa	4		
<i>Numenius arquata suschkini</i> (Eurasian Curlew)			
- South-east Europe & South-west Asia (bre)	1c		
<i>Numenius arquata orientalis</i> (Eurasian Curlew)			
- Western Siberia/SW Asia, E & S Africa	4		
<i>Limosa lapponica lapponica</i> (Bar-tailed Godwit)			
- Northern Europe/Western Europe	4		
<i>Limosa lapponica taymyrensis</i> (Bar-tailed Godwit)			
- Western Siberia/West & South-west Africa	4		
- Central Siberia/South & SW Asia & Eastern Africa	4		
<i>Limosa limosa limosa</i> (Black-tailed Godwit)			
- Western Europe/NW & West Africa	3c		
- Eastern Europe/Central & Eastern Africa	3c		
- West-central Asia/SW Asia & Eastern Africa	3c		
<i>Limosa limosa islandica</i> (Black-tailed Godwit)			
- Iceland/Western Europe	4		
<i>Arenaria interpres interpres</i> (Ruddy Turnstone)			
- NE Canada & Greenland/W Europe & NW Africa			1
- Northern Europe/West Africa	3c		
- West & Central Siberia/SW Asia, E & S Africa		(2c)	
<i>Calidris tenuirostris</i> (Great Knot)			
- Eastern Siberia/SW Asia & W Southern Asia	1a 1b 1c		
<i>Calidris canutus canutus</i> (Red Knot)			
- Northern Siberia/West & Southern Africa	4		
<i>Calidris canutus islandica</i> (Red Knot)			
- NE Canada & Greenland/Western Europe	4		
<i>Calidris pugnax</i> (Ruff)			
- Northern Europe & Western Siberia/West Africa		2c	
- Northern Siberia/SW Asia, E & S Africa			1
<i>Calidris falcinellus falcinellus</i> (Broad-billed Sandpiper)			
- Northern Europe/SW Asia & Africa		2c	
<i>Calidris ferruginea</i> (Curlew Sandpiper)			
- Western Siberia/West Africa	4		
- Central Siberia/SW Asia, E & S Africa	4		
<i>Calidris temminckii</i> (Temminck's Stint)			
- Fennoscandia/North & West Africa	3c		
- NE Europe & W Siberia/SW Asia & Eastern Africa			(1)
<i>Calidris alba alba</i> (Sanderling)			
- East Atlantic Europe, West & Southern Africa (win)			1

Populations	A	B	C
- South-west Asia, Eastern & Southern Africa (win)			1
<i>Calidris alpina alpina</i> (Dunlin)			
- NE Europe & NW Siberia/W Europe & NW Africa			1
<i>Calidris alpina arctica</i> (Dunlin)			
- NE Greenland/West Africa	3a		
<i>Calidris alpina schinzii</i> (Dunlin)			
- Iceland & Greenland/NW and West Africa			1
- Britain & Ireland/SW Europe & NW Africa		1	
- Baltic/SW Europe & NW Africa	1c		
<i>Calidris alpina centralis</i> (Dunlin)			
- Central Siberia/SW Asia & NE Africa			(1)
<i>Calidris maritima</i> (Purple Sandpiper)			
- N Europe & W Siberia (breeding)		1	
- NE Canada & N Greenland (breeding)	2		
<i>Calidris minuta</i> (Little Stint)			
- N Europe/S Europe, North & West Africa		(2c)	
- Western Siberia/SW Asia, E & S Africa			(1)
<i>Scolopax rusticola</i> (Eurasian Woodcock)			
- Europe/South & West Europe & North Africa			1
- Western Siberia/South-west Asia (Caspian)			(1)
<i>Gallinago stenura</i> (Pintail Snipe)			
- Northern Siberia/South Asia & Eastern Africa			(1)
<i>Gallinago media</i> (Great Snipe)			
- Scandinavia/probably West Africa	4		
- Western Siberia & NE Europe/South-east Africa	4		
<i>Gallinago gallinago gallinago</i> (Common Snipe)			
- Europe/South & West Europe & NW Africa		2c	
- Western Siberia/South-west Asia & Africa			1
<i>Gallinago gallinago faeroeensis</i> (Common Snipe)			
- Iceland, Faroes & Northern Scotland/Ireland			1
<i>Lymnocyrtus minimus</i> (Jack Snipe)			
- Northern Europe/S & W Europe & West Africa			1
- Western Siberia/SW Asia & NE Africa			1
<i>Phalaropus lobatus</i> (Red-necked Phalarope)			
- Western Eurasia/Arabian Sea			1
<i>Phalaropus fulicarius</i> (Red Phalarope)			
- Canada & Greenland/Atlantic coast of Africa		2c	
<i>Xenus cinereus</i> (Terek Sandpiper)			
- NE Europe & W Siberia/SW Asia, E & S Africa			1
<i>Actitis hypoleucos</i> (Common Sandpiper)			
- West & Central Europe/West Africa		2c	
- E Europe & W Siberia/Central, E & S Africa			(1)
<i>Tringa ochropus</i> (Green Sandpiper)			
- Northern Europe/S & W Europe, West Africa			1
- Western Siberia/SW Asia, NE & Eastern Africa		(2c)	

Populations	A	B	C
<i>Tringa erythropus</i> (Spotted Redshank)			
- N Europe/Southern Europe, North & West Africa	3c		
- Western Siberia/SW Asia, NE & Eastern Africa		(1)	
<i>Tringa nebularia</i> (Common Greenshank)			
- Northern Europe/SW Europe, NW & West Africa			1
- Western Siberia/SW Asia, E & S Africa			(1)
<i>Tringa totanus totanus</i> (Common Redshank)			
- Northern Europe (breeding)		2c	
- Central & East Europe (breeding)		2c	
- Britain & Ireland/Britain, Ireland, France	3c		
<i>Tringa totanus robusta</i> (Common Redshank)			
- Iceland & Faroes/Western Europe			1
<i>Tringa totanus ussuriensis</i> (Common Redshank)			
- Western Asia/SW Asia, NE & Eastern Africa			(1)
<i>Tringa glareola</i> (Wood Sandpiper)			
- North-west Europe/West Africa			1
- NE Europe & W Siberia/Eastern & Southern Africa			(1)
<i>Tringa stagnatilis</i> (Marsh Sandpiper)			
- Eastern Europe/West & Central Africa		(1)	
- Western Asia/SW Asia, Eastern & Southern Africa		1	
Family DROMADIDAE (crab-plover)			
<i>Dromas ardeola</i> (Crab-plover)			
- North-west Indian Ocean, Red Sea & Gulf		1	
Family GLAREOLIDAE (coursers, pratincoles)			
<i>Glareola pratincola pratincola</i> (Collared Pratincole)			
- Western Europe & NW Africa/West Africa		1	
- Black Sea & E Mediterranean/Eastern Sahel zone	2		
- SW Asia/SW Asia & NE Africa		(1)	
<i>Glareola nordmanni</i> (Black-winged Pratincole)			
- SE Europe & Western Asia/Southern Africa	4		
<i>Glareola ocularis</i> (Madagascar Pratincole)			
- Madagascar/East Africa	1b 1c		
<i>Glareola nuchalis nuchalis</i> (Rock Pratincole, White-collared Pratincole)			
- Eastern & Central Africa		(1)	
<i>Glareola nuchalis liberiae</i> (Rock Pratincole, Rufous-collared Pratincole)			
- West Africa			1
<i>Glareola cinerea</i> (Grey Pratincole)			
- SE West Africa & Central Africa	(2)		
Family LARIDAE (gulls, terns, skimmers)			
<i>Anous stolidus plumbeigularis</i> (Brown Noddy)			
- Red Sea & Gulf of Aden			1

Populations	A	B	C
<i>Anous tenuirostris tenuirostris</i> (Lesser Noddy)			
- Indian Ocean Islands to E Africa			1
<i>Rynchops flavirostris</i> (African Skimmer)			
- Coastal West Africa & Central Africa	1c		
- Eastern & Southern Africa	1c		
<i>Hydrocoloeus minutus</i> (Little Gull)			
- Central & E Europe/SW Europe & W Mediterranean		1	
- W Asia/E Mediterranean, Black Sea & Caspian	(3c)		
<i>Xema sabini sabini</i> (Sabine's Gull)			
- Canada & Greenland/SE Atlantic			(1)
<i>Rissa tridactyla tridactyla</i> (Black-legged Kittiwake)			
- Arctic from NE Canada to Novaya Zemlya/N Atlantic	1b		
<i>Larus genei</i> (Slender-billed Gull)			
- West Africa (bre)		1	
- Black Sea & Mediterranean (bre)		2a (2c)	
- West, South-west & South Asia (bre)			1
<i>Larus ridibundus</i> (Black-headed Gull)			
- W Europe/W Europe, W Mediterranean, West Africa		2c	
- East Europe/Black Sea & East Mediterranean			1
- West Asia/SW Asia & NE Africa			(1)
<i>Larus hartlaubii</i> (Hartlaub's Gull)			
- Coastal South-west Africa		1	
<i>Larus cirrocephalus poiocephalus</i> (Grey-headed Gull)			
- West Africa		(1)	
- Central, Eastern and Southern Africa			(1)
<i>Larus ichthyaetus</i> (Pallas's Gull)			
- Black Sea & Caspian/South-west Asia	3a		
<i>Larus melanocephalus</i> (Mediterranean Gull)			
- W Europe, Mediterranean & NW Africa		2a	
<i>Larus hemprichii</i> (Sooty Gull)			
- Red Sea, Gulf, Arabia & Eastern Africa		1	
<i>Larus leucophthalmus</i> (White-eyed Gull)			
- Red Sea & nearby coasts	1a		
<i>Larus audouinii</i> (Audouin's Gull)			
- Mediterranean/N & W coasts of Africa	1a 3a		
<i>Larus canus canus</i> (Mew Gull)			
- NW & C Europe/Atlantic coast & Mediterranean			1
<i>Larus canus heinei</i> (Mew Gull)			
- NE Europe & Western Siberia/Black Sea & Caspian			1
<i>Larus dominicanus vetula</i> (Kelp Gull)			
- Coastal Southern Africa		1	
- Coastal West Africa	1c		
<i>Larus fuscus fuscus</i> (Lesser Black-backed Gull, Baltic Gull)			
- NE Europe/Black Sea, SW Asia & Eastern Africa	3c		
<i>Larus fuscus graellsii</i> (Lesser Black-backed Gull)			

Populations	A	B	C
- Western Europe/Mediterranean & West Africa <i>Larus fuscus intermedius</i> (Lesser Black-backed Gull)			1
- S Scandinavia, Netherlands, Ebro Delta, Spain <i>Larus fuscus heuglini</i> (Lesser Black-backed Gull, Heuglin's Gull)			1
- NE Europe & W Siberia/SW Asia & NE Africa <i>Larus fuscus barabensis</i> (Lesser Black-backed Gull, Steppe Gull)			(1)
- South-west Siberia/South-west Asia <i>Larus argentatus argentatus</i> (European Herring Gull)			(1)
- North & North-west Europe <i>Larus argentatus argenteus</i> (European Herring Gull)		2c	
- Iceland & Western Europe <i>Larus armenicus</i> (Armenian Gull)		2c	
- Armenia, Eastern Turkey & NW Iran <i>Larus michahellis</i> (Yellow-legged Gull)	3a 3c		
- Mediterranean, Iberia & Morocco <i>Larus cachinnans</i> (Caspian Gull)			1
- Black Sea & Western Asia/SW Asia, NE Africa <i>Larus glaucoides glaucoides</i> (Iceland Gull)			1
- Greenland/Iceland & North-west Europe <i>Larus hyperboreus hyperboreus</i> (Glaucous Gull)			1
- Svalbard & N Russia (bre) <i>Larus hyperboreus leuceteres</i> (Glaucous Gull)			(1)
- Canada, Greenland & Iceland (bre) <i>Larus marinus</i> (Great Black-backed Gull)			(1)
- North & West Europe <i>Onychoprion fuscatus nubilosa</i> (Sooty Tern)			1
- Red Sea, Gulf of Aden, E to Pacific <i>Onychoprion anaethetus melanopterus</i> (Bridled Tern)		2a	
- W Africa <i>Onychoprion anaethetus antarcticus</i> (Bridled Tern)	1c		
- Red Sea, E Africa, Persian Gulf, Arabian Sea to W India <i>Sternula albifrons albifrons</i> (Little Tern)			1
- W Indian Ocean <i>Sternula albifrons guineae</i> (Little Tern)	2		
- Europe north of Mediterranean (bre) <i>Sternula balaenarum</i> (Damara Tern)	2		
- West Mediterranean/ W Africa (bre) <i>Gelochelidon nilotica nilotica</i> (Common Gull-billed Tern)	3b 3c		
- Black Sea & East Mediterranean (bre) <i>Sternula balaenarum</i> (Damara Tern)	3b 3c		
- Caspian (bre) <i>Sternula balaenarum</i> (Damara Tern)	2		
- West Africa (bre) <i>Sternula saundersi</i> (Saunders's Tern)	1c		
- W South Asia, Red Sea, Gulf & Eastern Africa <i>Sternula balaenarum</i> (Damara Tern)	2		
- Namibia & South Africa/Atlantic coast to Ghana <i>Gelochelidon nilotica nilotica</i> (Common Gull-billed Tern)	1b 1c		

Populations	A	B	C
- Western Europe/West Africa		1	
- Black Sea & East Mediterranean/Eastern Africa	3c		
- West & Central Asia/South-west Asia	2		
<i>Hydroprogne caspia</i> (Caspian Tern)			
- Southern Africa (bre)	1c		
- West Africa (bre)		1	
- Baltic (bre)		1	
- Black Sea (bre)	1c		
- Caspian (bre)	2		
<i>Chlidonias hybrida hybrida</i> (Whiskered Tern)			
- Western Europe & North-west Africa (bre)		1	
- Black Sea & East Mediterranean (bre)			(1)
- Caspian (bre)		(1)	
<i>Chlidonias hybrida delalandii</i> (Whiskered Tern)			
- Eastern Africa (Kenya & Tanzania)	2		
- Southern Africa (Malawi & Zambia to South Africa)	1c		
<i>Chlidonias leucopterus</i> (White-winged Tern)			
- Eastern Europe & Western Asia/Africa			(1)
<i>Chlidonias niger niger</i> (Black Tern)			
- Europe & Western Asia/Atlantic coast of Africa		2c	
<i>Sterna dougallii dougallii</i> (Roseate Tern)			
- Southern Africa & Madagascar	1c		
- East Africa	2		
- Europe (bre)	1c		
<i>Sterna dougallii gracilis</i> (Roseate Tern)			
- Seychelles & Mascarenes	1c		
- North Arabian Sea (Oman)	1c		
<i>Sterna hirundo hirundo</i> (Common Tern)			
- Southern & Western Europe (bre)			1
- Northern & Eastern Europe (bre)			1
- Western Asia (bre)			(1)
<i>Sterna repressa</i> (White-cheeked Tern)			
- W South Asia, Red Sea, Gulf & Eastern Africa			1
<i>Sterna paradisaea</i> (Arctic Tern)			
- Western Eurasia (bre)			1
<i>Sterna vittata vittata</i> (Antarctic Tern)			
- P.Edward, Marion, Crozet & Kerguelen/South Africa	1c		
<i>Sterna vittata tristanensis</i> (Antarctic Tern)			
- Tristan da Cunha & Gough/South Africa	1c		
<i>Sterna vittata sanctipauli</i> (Antarctic Tern)			
- Amsterdam and St Paul/South Africa	1c		
<i>Thalasseus bengalensis bengalensis</i> (Lesser Crested Tern)			
- Gulf/Southern Asia			1
- Red Sea/Eastern Africa			1
<i>Thalasseus bengalensis emigratus</i> (Lesser Crested Tern)			

Populations	A	B	C
- S Mediterranean/NW & West Africa coasts	1c		
<i>Thalasseus sandvicensis sandvicensis</i> (Sandwich Tern)			
- Western Europe/West Africa			1
- Black Sea & Mediterranean (bre)		2a	
- West & Central Asia/South-west & South Asia			1
<i>Thalasseus maximus albidorsalis</i> (Royal Tern)			
- West Africa (bre)		2a	
<i>Thalasseus bergii bergii</i> (Greater Crested Tern)			
- Southern Africa (Angola – Mozambique)	2		
- Madagascar & Mozambique/Southern Africa	1c		
<i>Thalasseus bergii velox</i> (Greater Crested Tern)			
- Red Sea & North-east Africa	2		
<i>Thalasseus bergii thalassinus</i> (Greater Crested Tern)			
- Eastern Africa & Seychelles	1c		
Family STERCORARIIDAE (skuas)			
<i>Stercorarius longicaudus longicaudus</i> (Long-tailed Jaeger)			
- N Europe & W Siberia/S Atlantic			1
<i>Catharacta skua</i> (Great Skua)			
- N Europe/N Atlantic		1	
Family ALCIDAE (auks)			
<i>Fratercula arctica</i> (Atlantic Puffin)			
- Hudson Bay & Maine E to S Greenland, Iceland, Bear Is, Norway to S Novaya Zemlya	1b		
- NE Canada, N Greenland, to Jan Mayen, Svalbard, N Novaya Zemlya	1b		
- Faeroes, S Norway & Sweden, Britain, Ireland, NW France	1b		
<i>Cephus grylle grylle</i> (Black Guillemot)			
- Baltic Sea	3c		
<i>Cephus grylle mandtii</i> (Black Guillemot)			
- Arctic E North America to Greenland, Jan Mayen & Svalbard E through Siberia to Alaska			1
<i>Cephus grylle arcticus</i> (Black Guillemot)			
- N America, S Greenland, Britain, Ireland, Scandinavia, White Sea			1
<i>Cephus grylle islandicus</i> (Black Guillemot)			
- Iceland	3c		
<i>Cephus grylle faeroeensis</i> (Black Guillemot)			
- Faeroes		(1)	
<i>Alca torda torda</i> (Razorbill)			
- E North America, Greenland, E to Baltic & White Seas	4		
<i>Alca torda islandica</i> (Razorbill)			
- Iceland, Faeroes, Britain, Ireland, Helgoland, NW France	4		
<i>Alle alle alle</i> (Little Auk)			
- High Arctic, Baffin Is – Novaya Zemlya			1

Populations	A	B	C
<i>Uria lomvia lomvia</i> (Thick-billed Murre)			
- E North America, Greenland, E to Severnaya Zemlya		2c	
<i>Uria aalge aalge</i> (Common Murre)			
- Iceland, Faeroes, Scotland, S Norway, Baltic		2c	
<i>Uria aalge albionis</i> (Common Murre)			
- Ireland, S Britain, France, Iberia, Helgoland			1
<i>Uria aalge hyperborea</i> (Common Murre)			
- Svalbard, N Norway to Novaya Zemlya			1